



DeFelt®



EasySnap™


Catalogue of Acoustic Baffles System

2026/V2/30 | Strategic Partner Price

260311



DeFelt®



—

Content

01

Introduction

02

Collection List

03

Products Details

04

EasySnap Accessories

05

Acoustic Specifications

06

Product Specifications

07

Colors & Printing

08

Ordering Informations

09

Prices



EasySnap™

Modular acoustic ceiling baffles combining good sound absorption with modern design. Easy to install, perfect for residential and commercial interiors.

Why EasySnap?

Thoughtfully designed with a focus on aesthetics,

Made from recycled PET felt,


Meets sustainability and quality standards,


Improve the room's acoustics without altering the furniture or flooring.

Origin

Created from our office needs - designed to enhance acoustics and well-being with aesthetic impact.

EasySnap™ Acoustic Baffles System Collection was designed with creativity and freedom to explore the boundary between aesthetics and acoustic quality.





①

EasySnap is an ideal solution for all types of interiors. It performs especially well in heavily glazed spaces, helping to reduce echo and reverberation.

②

Create a pleasant atmosphere and improve the room's acoustic properties without replacing the furniture! Add something new to the ceiling, and you'll gain much more.

③

Even a single piece can transform an entire space, adding character and personality

④

Ideal for offices, where calm and focus are just as important as high productivity and aesthetics

⑤


It works perfectly as an accent in the room, guiding customers' eyes along long lines in a specific direction.

⑥ ⑦

TwinFelt is a unique technology that allows felt to be coated with a second material, hereby enhancing its possibilities for interior design.


⑧ ⑨










We also offer printing on a panels that imitates materials such as wood, stone, marble or othertexture



Go to DeFelt's website
Explore Our products and felt samples!


www.defelt.com





Go to DeFelt's website
Explore Our products and felt samples!


www.defelt.com/products/ 





Light

Delicate acoustic baffles with an additional expansion gap that significantly improves the acoustic performance of your interior.




- 
EasySnap Light in DF24 Color
- 
EasySnap Light in DF18 Color



About EasySnap Light

- Modular joining: 
- FeltLock System* ready: 
- Ready to print: 
- Ready to TwinFelt*: 


*Find more at: www.defelt.com



Dimensions






- Baffle lenght: 1200
- Baffle width: 1200
- Baffle height 175
- Mounting lenght 1020
- Mounting width 1050
- Lamellen height: 137
- Lamellen width: 25
- Lamellen lenght: 1200
- Lamellen spacing: 125

[mm]




Details

Included:

-  x8
Acoustic Lamellen
-  x4
Mounting Rails
-  x16 x16
Rails & Lamellen Baffles Connectors
-  x4
FeltLock Suspension System
- 
Assembly Guides

Medium

A ceiling decoration with deep acoustic slats and an additional expansion gap that significantly improves the acoustic performance of your interior.



EasySnap Medium in DF04 Color




EasySnap Medium in DF02 Color



About EasySnap Medium

- Modular joining: ✓
- FeltLock System* ready: ✓
- Ready to print: ✓
- Ready to TwinFelt*: ✓


*Find more at: www.defelt.com



Dimensions


- Baffle lenght: 1200
- Baffle width: 1200
- Baffle height 225
- Mounting lenght 1020
- Mounting width 1050
- Lamellen height: 187
- Lamellen width: 25
- Lamellen lenght: 1200
- Lamellen spacing: 175

[mm]




Details


Included:



Acoustic Lamellen




Mounting Rails



Rails & Lamellen Baffles Connectors




FeltLock Suspension System



Assembly Guides

Bold

Wide, densely arranged ceiling lamellas work perfectly in any interior where top acoustic performance matters.




- 
EasySnap Bold in DF02 Color
- 
EasySnap Bold in DF04 Color



About
EasySnap Bold

- Modular joining: 
- FeltLock System* ready: 
- Ready to print: 
- Ready to TwinFelt*: 


*Find more at: www.defelt.com



Dimensions






- Baffle lenght: 1200
- Baffle width: 1200
- Baffle height 160
- Mounting lenght 1020
- Mounting width 1050
- Lamellen height: 125
- Lamellen width: 50
- Lamellen lenght: 1200
- Lamellen spacing: 100

[mm]




Details

Included:

-  x8
Acoustic
Lamellen
-  x4
Mounting
Rails
-  x16 x16
Rails & Lamellen
Baffles Connectors
-  x16
Lamellen
Caps
-  x4
FeltLock
Suspension System
- 
Assembly
Guides

Great

Deep lamellas with a large air gap for special tasks.
Perfect for offices that require enhanced
acoustic performance.



- ⬆

EasySnap Great in DF08 Color
- ⬅

EasySnap Great in DF24 Color



About EasySnap Great

- Modular joining:


✓
- FeltLock System* ready:

✓
- Ready to print:

✓
- Ready to TwinFelt*:

✓


*Find more at: www.defelt.com



Dimensions

- Baffle lenght: 1200
- Baffle width: 1200
- Baffle height 202
- Mounting lenght 1020
- Mounting width 1050
- Lamellen height: 165
- Lamellen width: 50
- Lamellen lenght: 1200
- Lamellen spacing: 150

[mm]



Details

Included:

- x6

Acoustic Lamellen

x4

Mounting Rails

x12

x16

Rails & Lamellen Baffles Connectors

x12

Lamellen Caps


x4

FeltLock Suspension System

Assembly Guides
- 20
- DeFelt
- More about produt & materials You can find at www.defelt.com
- EasySnap Acoustic Baffles System
- DeFelt sp. z. o. o., Rakietowa st. 35, 54-615 Wrocław, Poland
- contact@defelt.com
- +48 669 210 173
- 21

Wide

Wide lamellas with an air gap that effectively conceal your ceiling while improving the room's acoustic performance.




- 
EasySnap Wide in DF02 Color
- 
EasySnap Wide in DF04 Color

About EasySnap Wide

- Modular joining: 
- FeltLock System* ready: 
- Ready to print: 
- Ready to TwinFelt*: 


*Find more at: www.defelt.com



Dimensions






- Baffle length: 1200
- Baffle width: 1200
- Baffle height 110
- Mounting lenght 1020
- Mounting width 1050
- Lamellen height: 70
- Lamellen width: 125
- Lamellen lenght: 1200
- Lamellen spacing: 25

[mm]




Details

Included:

-  x8
Acoustic Lamellen
-  x4
Mounting Rails
-  x16 x16
Rails & Lamellen Baffles Connectors
-  x16
Lamellen Caps
-  x4
FeltLock Suspension System
- 
Assembly Guides

Low

A ceiling panel with elegant lamellas that blend perfectly into any interior. At the same time, you can be sure it's the right choice if good acoustics matter to you.




- 
EasySnap Low in DF24 Color
- 
EasySnap Low in DF18 Color

About EasySnap Low

- Modular joining: 
- FeltLock System* ready: 
- Ready to print: 
- Ready to TwinFelt*: 


*Find more at: www.defelt.com



Dimensions






- Baffle lenght: 1200
- Baffle width: 600
- Baffle height 110
- Mounting lenght 520
- Mounting width 1050
- Lamellen height: 70
- Lamellen width: 50
- Lamellen lenght: 1200
- Lamellen spacing: 25

[mm]




Details

Included:

-  x8
Acoustic Lamellen
-  x4
Mounting Rails
-  x16 x16
Rails & Lamellen Baffles Connectors
-  x16
Lamellen Caps
-  x4
FeltLock Suspension System
- 
Assembly Guides

High

Deeper lamellas with an additional air gap are one of the most versatile EasySnap solutions.




- 
EasySnap High in DF04 Color
- 
EasySnap High in DF08 Color



About EasySnap High

- Modular joining: 
- FeltLock System* ready: 
- Ready to print: 
- Ready to TwinFelt*: 


*Find more at: www.defelt.com



Dimensions





- Baffle lenght: 1200
- Baffle width: 600
- Baffle height 135
- Mounting lenght 520
- Mounting width 1050
- Lamellen height: 95
- Lamellen width: 50
- Lamellen lenght: 1200
- Lamellen spacing: 25

[mm]




Details

Included:

-  x8
Acoustic Lamellen
-  x4
Mounting Rails
-  x16 x16
Rails & Lamellen Baffles Connectors
-  x16
Lamellen Caps
-  x4
FeltLock Suspension System
- 
Assembly Guides

Mixed

Accent Ceiling Panels are the perfect finishing touch to crown your ceiling. If you value strong performance and refined decoration, this is an excellent choice.




- 
EasySnap Accent in DF04 Color
- 
EasySnap Accent in DF24 Color

About EasySnap Mixed

- Modular joining: 
- FeltLock System* ready: 
- Rearranging elements: 
- Ready to print: 
- Ready to TwinFelt*: 


*Find more at: www.defelt.com



Dimensions





- Baffle length: 1200
- Baffle width: 600
- Baffle height: 135
- Mounting length: 520
- Mounting width: 1050
- Lamellen height: 70 / 95
- Lamellen width: 50
- Lamellen length: 1200
- Lamellen spacing: 25

[mm]




Details

Included:

-  x8
Acoustic Lamellen
-  x4
Mounting Rails
-  x16 x16
Rails & Lamellen Baffles Connectors
-  x16
Lamellen Caps
-  x4
FeltLock Suspension System
- 
Assembly Guides

Accent

A versatile solution featuring wide, narrow, deep, and shallow lamellas designed to meet your expectations as precisely as possible.




- 
EasySnap Mixed in DF02 Color
- 
EasySnap Mixed in DF18 Color



About EasySnap Accent

- Modular joining: 
- FeltLock System* ready: 
- Rearranging elements: 
- Ready to print: 
- Ready to TwinFelt*: 


*Find more at: www.defelt.com



Dimensions






- Baffle length: 1200
- Baffle width: 600
- Baffle height: 132
- Mounting length: 520
- Mounting width: 1050
- Lamellen height: 95 / 70
- Lamellen width: 50 / 125
- Lamellen length: 1200
- Lamellen spacing: 25

[mm]




Details

Included:

-  x7
Acoustic Lamellen
-  x4
Mounting Rails
-  x14 x16
Rails & Lamellen Baffles Connectors
-  x14
Lamellen Caps
-  x4
FeltLock Suspension System
- 
Assembly Guides

Casette

An excellent choice for suspended ceilings. These exceptional acoustic panels will instantly enhance your interior's acoustic performance while making the space feel more pleasant and warmer.



⬆

EasySnap Casette in DF18 Color


⬅

EasySnap Casette in DF04 Color

About EasySnap Casette

- Compatible with 595×595 suspension systems: ✓
- Ready to print: ✓
- Ready to TwinFelt*: ✓


*Find more at: www.defelt.com



Dimensions




- Full module: **595×595**
- Baffle height: **145**
- Lamellen height: **100**
- Lamellen width: **40**
- Lamellen spacing: **45**
- Lamellen lenght: **595**

[mm]



Details

Included:

-  x7
Acoustic Lamellen
-  x2
Mounting Rails
-  x14
Lamellen Caps
- 
Assembly Guides


FeltLock Suspension System

Choose the best solution for installing EasySnap Acoustic Baffles decoratons.
The FeltLock Suspension System is a dedicated solution that you can add to your order.

Details:

Ceiling Attachment

From our experience, we know that unique projects require unique solutions - that's why we offer a rich selection zzof mounting components*.




Available finishes:

- Nickle plated*
- White
- Gray
- Black

Wires

A high-quality steel cable that will discreetly support the weight of the baffles, so you won't have to worry about anything else.



Available finishes:

- Nickle plated*
- White
- Gray
- Black


FeltLock mountings

From our experience, we know that unique projects require unique solutions - that's why we offer a rich selection of mounting components.

**Ask our sales representatives for the full offer.*

Available finishes:

- Nickle plated*
- White
- Gray
- Black




*Nickel plating is our basic finish, which is include with every FeltLock suspended system.

If you'd like to explore the full catalog of our FeltLock solutions,
contact our sales representative or visit our website!

www.defelt.com

FeltLock



About:

DeFelt offers unique solutions that help you enhance the aesthetic and functional qualities of EasySnap quickly and effortlessly. **Moreover, each of the elements listed below is included free with every set!**

Rails connectors

Rail connectors are a special system that allows you to expand the panel grid with additional elements, creating a stable suspended EasySnap structure. These connectors can be installed quickly, and because they are made from the same material, they are nearly invisible!




Lamellen connectors

Lamella connectors are our specially designed system for joining lamellas so they form a straight line along the entire length of your ceilings. This ensures that wind or other conditions affecting stability won't disrupt perfectly straight lines.



Lamellen caps

A simple solution that significantly enhances the aesthetics of your interior. With end caps, you can conceal open lamellas, creating a unique character for your ceiling.



Wires

Each order includes our FeltLock solution in the basic version, in the "nickel plated" color. It consist of: ceiling attachment, wires and FeltLock mountings.

You can find more informations on the previous page or bu asking our salesman representatives.




For 9 mm PET Felt (1900 g/m²): When installed with a 60–200 mm suspension gap, EasySnap™ can achieve an estimated NRC rating of up to 0.90–0.95, depending on configuration and test setup. This corresponds to Acoustic Class A ($\alpha_w \geq 0.90$) performance.

Direct mounting (no air gap): strong absorption in mid and high frequencies, with limited low-frequency performance.


With a 60–200 mm air gap: significantly improved low- and mid-frequency absorption, with excellent performance across the speech frequency range (500–2000 Hz).

Please note that these values are based on our internal testing and calculations. We are currently preparing a full test setup for official laboratory testing in accordance with EN ISO 354, with classification according to EN ISO 11654.

Absorption Coefficient for: no gap, 9mm 1900 g/m²




Absorption Coefficient for: 200 mm gap, 9mm 1900 g/m²




In the set:

In a box:



Available online:



*If the set requires it.

Material

Material	100% PET (65% from recycled plastic bottles)
Fire Rating	In accordance with PN-EN 13501 - 1:2019-02 fire reaction classification: FR panels B-s1; d0 Regular Panels C-s2; d0
Custom Option	Available upon request
Lead Time	*In stock for immediate shipment
VOC Emmision	US EPA 5021A:2003 analysis was performed by HS - GS - MS. + CAS № 75-25-2: VOC 0,0001% + CAS № 110-54-3: VOC 0,0005% + CAS № 71-43-2: VOC 0,0005%

*Actual lead times are determined when the project goes into production and can change based on production schedule and all quantities, color and thicknesses being in stock at time of order. See DeFelt Product Lead Time Disclosure for more information.



Felt Colors

Common White DF-01	Pure Milk DF-02	Coconut White DF-03	Dark Jute DF-04	Creamy Honey DF-05	Zara Beige DF-06
Cotton Grey DF-07	Koala Grey DF-08	Smoke Grey DF-09	Maestro Grey DF-10	Moon Grey DF-11	Dark Truffle Grey DF-12
Nardo Grey DF-13	Intense Grey DF-14	Graphite Black DF-15	Powder Blue DF-18	Baby Bean DF-19	Grey Olive Green DF-24
Night Blue DF-30	Jungle Green DF-31	Denim Blue DF-32	Autumn Orange DF-52	Biscotti Yellow DF-53	Peanut Brown DF-57
Cocoa Powder DF-58	Rust Brown DF-59	Sand Grey DF-69	Moss Green DF-70	Matte Green DF-71	Royal Blue DF-72

Keep in mind that the colors of PET felts and fabrics may vary slightly from what you see in the catalog.

For the most accurate representation, we recommend referring to our sample book or sample individually sent. Due to the production process of both fiber and PET felt, there may be slight variations in material between different production batches. Additionally, please take into consideration that PET panels have distinct left and right sides so try always to present only one side of the sheet. Due to the manufacturing process, the felt board may show differences in shade depending on the direction of laying. We recommend laying all pieces in one direction to avoid undesirable visual effects. This is particularly important to consider when installing larger structures, such as wall-mounted panels or acoustic drop ceiling.

WoodEcho

Nordic Blonde PWE-01	Drift Oak PWE-02	Nordic Maple PWE-03	Natural Oak PWE-04	Sahara Oak PWE-05	Amber Grain PWE-06
Golen Harvest PWE-07	Urban Cocoa PWE-08	Tabacco Essence PWE-09	Copper Elm PWE-10	Cognac Oak PWE-11	Midnight Walnut PWE-12

ArchiCalm & AcousticMarble

Travertine PAC-01	Concrete Smooth PAC-02	Concrete Rough PAC-03	Grainte Rosa PAC-04	Beige Sandstone PAC-05	Black Slate PAC-06
Terazzo Green PAC-07	Terazzo Purple PAC-08	Carrara PAM-08			

DecoTones

Blueish Plain PDT-01	Honey Plain PDT-02	Gray Plain PDT-03	DF06 & TF34	DF71 & TF33	DF04 & TF31

